























# Decorative Curtain Poles





# Application Chart

Specification	Dimensions		Operation	Application		Profile		Features / Options			Fitting Options		Fitting Surfaces		System		
	Weight Range	kg max.		Single Stack	Pair Stack	Profile Number	Dimensions in mm	Gliding Channel	Min. Bending Radius (mm)	Various Finials / Midials available	Intermediate Pulley available	Wave Glider Cord	Ceiling Fix	Wall Fix		Wood	Concrete
 kg				●	●	1003		3.7	150	●		●	●	●	●	●	<b>1003 M Metropole</b>
 kg				●	●	6101		5.4	200			●	●	●	●	●	<b>6100 M Metroflat</b>
 kg				●	●	6103		5.4	300	●		●	●	●	●	●	<b>6130 M Metropole</b>
 kg				●	●	0700		5.4	500	●		●	●	●	●	●	<b>6140 M Metropole</b>
 kg	6m	14kg		●	●	6106		5.4	300	●	●	●	●	●	●	●	<b>6120 M Metropole</b>
 kg	6m	14kg		●	●	0701		5.4	600	●		●	●	●	●	●	<b>6160 M Metropole</b>
 kg	10m			●	●	0871		5.4	—	●		●	●	●	●		<b>6150 M Metropole</b>

For full electric track specifications, please refer to Electric Track Systems Catalogue.


 kg Light-weight applications

 kg Medium-weight applications

 kg Heavy-duty applications

## Hand Operated Curtain Pole System

# Silent Gliss® 1003M Metropole 23mm




### Product Information

- Hand operated decorative curtain poles for domestic and contract applications
- Ideal for bay windows
- For light to medium weight curtains
- Made to measure
- Profile length 6m (chrome effect 3.95m)
- 6 different finishes - black, silver, chrome effect, gunmetal, taupe and white
- Range of decorative finial and midial designs in different styles and colours
- Midial designs can also be used with holdback arms to create an attractive additional feature
- Wall fix or ceiling fix
- Unlike other poles, 1003 can be bent to a small radius for bay windows etc. whilst retaining efficient operation



1003M

## Profile, Bending and Specification Information



1003




Standard radius 150mm

Specification Guide - download from [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required).


Silent Gliss 1003 curtain track, hand drawn, aluminium, assembled complete with gliders 3533 at 16/m, 2 endcovers 0706 and 2 endstops 3070. Face fix with brackets 3134/6. Top fix with support 6138P. Available in black, white, silver, gunmetal, taupe and chrome effect.

## Design Options

### Finials




Finials are decorative elements that fit at the end of the pole.



- A: 0985 Groove Ball 85mm
- B: 0628 Groove Cylinder 80mm
- C: 0993CL Shard (clear) 112mm
- D: 0993ET Shard (etched) 112mm
- E: 0884 Crystal Cube 33mm (green, black, brown)
- F: 0894 Crystal Cylinder 55mm (green, black, brown)


Without finial, endcaps with matching colour of the pole will be applied. Please refer to the specific Metropole brochure for more detail and colour descriptions.

### Midials



Midials are a curtain pole decoration projecting in front of the pole.


Please refer to the specific Metropole brochure for more detailed and colour descriptions.



- A: 0M800 Vega Square (80mm)
- B: 0M900 Vega Circle (80mm)
- C: 0M400 Discus Glass (100mm - red, white, amber, purple, lilac)



## Holdbacks



Midial designs can be used on matching holdback arms.

Please refer to the specific Metropole brochure for more detailed and colour descriptions.

A: OHB80 Vega Square 80mm

B: OHB90 Vega Circle 80mm


C: OHB40 Disc Glass (red, white, amber, purple, lilac) 100mm

## Fitting Information

Bracket positioning when using standard brackets 3134-3136 or Ultra brackets 6133/6134



Fitting of track to brackets




A: Using brackets 3134/2 - 3136/2



B: Using midial bracket 0797A

## Fitting Options


Wall fix with brackets 3134-36/2




	X (mm)
3134/2	52
3135/2	72
3136/2	92



Ceiling fix with support 6138P



X (mm)
80-100




Please note: for ceiling fixing with midials, use bracket 3134/b

The final distances may be outside of the recommendations above depending on curtain make-up and any obstructions.




1003M


## Wall fix with adjustable bracket 0537



X (mm)  
0537 80-100



0537  
Adjustable bracket



6141  
Track insert (uses  
screw 0798)

## Standard Accessories

0706	End cover (1003)		1003	Profile	
3070	Twist eye endstop		3133	Bracket cover (60mm)	
3534	Glider 3533 in strip form		6141	Track insert (uses screw 0798)	
6784	Machine screw (for 6141 insert)		3134/2	Pole extension bracket (60mm - all colours)	

## Optional Accessories

0537	Adjustable bracket		0628	Groove Cylinder (23mm)	
0732	Hexagonal nut		0733	M6 washer for midial	
0884	Crystal cube (23mm pole)		0894	Crystal cylinder (23mm)	
0985	Groove Ball (23mm)		0989	Blok Bracket	
3582	Hook		0797A	Midial bracket	
0HB80	Vega square holdback		0HB90	Vega circle holdback	
0M800	Vega square midial		0M900	Vega circle midial	
10430	Draw rod with hook, 50cm		10431	Draw rod with hook, 75cm	
10432	Draw rod with hook, 100cm		10433	Draw rod with hook, 125cm	
10434	Draw rod with hook, 150cm		3134/b	Midial ceiling fix bracket	

1003M

3135/2	Pole extension bracket (80mm - all colours)		3136/2	Pole extension bracket (100mm - all colours)	
6138p	Ceiling support set (3mm)		0991CL	Shard Clear Metroflat	
0991ET	Shard Etched Metroflat		0993CL	Shard Clear (23mm)	
0993ET	Shard Etched (23mm)				






1003M

## Hand Operated Curtain Pole System

# Silent Gliss® 6100M Metroflat 36mm




### Product Information

- Hand operated system for domestic and contract applications
- Attractive contemporary appearance for modern interiors
- Can be bent to a small radius for bay windows
- Available in 7 finishes - chrome effect, silver, black, steel grey, bronze, antique bronze and gunmetal
- Accessorised with matching endcaps or glass finials
- Easy fitting to wall or ceiling
- For light to medium curtains
- Profile length 6m (chrome effect 4m)
- Suitable for Wave Standard and Wave XL curtain heading systems



6100M

## Profile, Bending and Specification Information



6101



Standard radius 200mm  
Min. radius Wave XL: 500mm



**Note:** It is important to observe the above minimum bending radius for Wave XL. The system will not function with a smaller radius.

**Specification Information - download from [www.silentgliss.co.uk](http://www.silentgliss.co.uk)**

Silent Gliss 6100M curtain track, hand drawn, aluminium, assembled complete with gliders 6143 at 10/m and 2 endcovers 0710. Ceiling fix with bracket 6138P each screwed to timber/plugged and screwed to block-work/concrete at 600mm centres. Finished in black, silver, gunmetal, bronze, antique bronze, steel grey or chrome effect.

## How To Measure

### Stack Size Calculation Wave Standard



a = Stack depth  
b = Stack size  
c = Min. distance

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	1.9	10	23 per metre of track + endpiece	8
6	12	2.2	12	23 per metre of track + endpiece	9
8	14	2.0	14	18 per metre of track + endpiece	10
8	16	2.2	16	18 per metre of track + endpiece	11


### Wave standard with roller gliders

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.0	14	21 per metre of track + endpiece	10
8	16	2.2	16	21 per metre of track + endpiece	11




(dimensions in cm)

**Note:** Minimum distance (c) includes a standard 4.5cm clearance (front and back).

## Stack size calculation Wave XL





a = Stack depth 35cm  
 b = Stack size  
 c = Min. distance 22cm

System width		77-107	108-143	144-179	180-215	216-251	252-287	288-323	324-359	360-395
	b	21	26	31	36	41	46	51	56	61
System width		396-431	432-468	469-503	504-539	540-575	576-600			
	b	66	71	76	81	86	91			
System width		154-217	218-289	290-361	362-433	434-505	506-577	578-600		
	b	21	26	31	36	41	46	51		

(dimensions in cm)

## Design Options

### Finials




A

B

Finials are decorative elements that fix to the end of the pole.

A: 0991CL Shard (clear) 116mm  
 B: 0991ET Shard (etched) 116mm

### Wave Standard curtain heading system



The Wave curtain heading system is an exciting contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m or 10kg/m with wave roller glider 6098W.

The Wave standard components are:

6345 Glider Cord 60mm  
 6346 Glider Cord 80mm  
 3582 Hook  
 6349 Curtain tape  
 6363 Iron-on top hemming tape  
 6007 End stop


Additional optional Wave components:

2255 Adjustable brake  
 6364 Extension (for use with 6365)  
 6365 Hanger (for use with 6364)  
 6366 Carrier for draw rod  
 10075 Lead weight for bottom hem 50gr/m  
 10076 Fabric weight for side of curtain  
 6098W Wave roller glider 80mm




6100M

## Wave XL curtain heading system



Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.




The Wave XL components are:

- 2216 Cord 0.85 mm
- 2255 Adjustable brake
- 6007 End stop
- 6349 Curtain tape
- 6363 Iron tape


## Fitting Information

Bracket positioning when using brackets 3134/2-3136/2 or Ultra brackets 6133/6134

6100M



Fitting of track to brackets




- A: Using brackets 3134/2 - 3136/2
- B: Using Blok brackets 0989




## Fitting Options


### Wall fix with brackets 3134/2-3136/2



	X (mm)
3134/2	52
3135/2	72
3136/2	92



3134/2-3136/2  
Extension brackets





6141  
Track insert (uses  
screw 0798)

The final distances may be outside of the recommendations above depending on curtain heading, make-up and any obstructions.

Min. distance from wall when using Wave XL: 220mm.

### Wall fix with Blok brackets 0989




0989  
Blok Bracket


The final distances may be outside of the recommendations above depending on curtain heading, make-up and any obstructions.

Min. distance from wall when using Wave XL: 220mm.

### Ceiling fix with support 6138P



X (mm)
80-100




6138p  
Ceiling support set  
(3mm)


The final distances may be outside of the recommendations above depending on curtain heading, make-up and any obstructions.

Min. distance from wall when using Wave XL: 220mm.


### Wall fix with adjustable bracket 0537



	X (mm)
0537	80-100



0537  
Adjustable bracket



6141  
Track insert (uses  
screw 0798)

The final distances may be outside of the recommendations above depending on curtain heading, make-up and any obstructions.

Min. distance from wall when using Wave XL: 220mm.



6100M












## Standard Accessories

### Parts

0710	Endcap		3133	Bracket cover (60mm)	
3134	Extension bracket (60mm)		6065	Twist eye endstop	
6101	Profile		6141	Track insert (uses screw 0798)	
6143	Glider 6144 in strip form		6784	Machine screw (for 6141 insert)	














## Optional Accessories

### Parts

0537	Adjustable bracket		0989	Blok Bracket	
2216	Cord		3582	Hook	
6117	Track insert		6283	Roller glider	
6398	Clip		3135/2	Pole extension bracket (80mm - all colours)	
3136/2	Pole extension bracket (100mm - all colours)		6138p	Ceiling support set (3mm)	
0991CL	Shard Clear Metroflat		0991ET	Shard Etched Metroflat	

## Wave Accessories

2216	Cord		2255	Adjustable brake	
2255	Adjustable brake		3582	Hook	
6007	Endstop		6345	Wave glider cord (60mm)	
6346	Wave glider cord (80mm)		6349	Wave curtain heading tape	


6363	Top hemming tape		6364	Extension	
6365	Hanger		6366	Carrier for draw rod	
6391	Hanger		6392	Heading film	
6393	Glider		6395	Extension	
6398	Clip		6399	Carrier for Draw rod	
10075	Lead weight 50 gr/m		10076	Fabric weight	
6098W	Wave roller glider cord (80mm)				



6100M

## Hand Operated Curtain Pole System

# Silent Gliss® 6130M Metropole 30mm




### Product Information

- Hand operated system for domestic and contract applications
- Unlike other poles, 6130 can be bent to a small radius for bay windows
- Choice of 13 different finishes - cream, bronze, antique bronze, gunmetal, black, steel grey, white, sand, classic gold, chrome effect, anodised silver, taupe and oak effect
- Metropole is available with a range of finials and midials offering a contemporary or traditional finish
- Accessorised with matching end caps and co-ordinated or matching brackets/bracket covers
- A wide range of finials is available for the 6130 hand operated system
- A range of midials - a decoration projecting in front of the pole - is available for Metropole. All midials can also be used as holdbacks
- Easy fitting to wall or ceiling
- For medium to heavy curtains
- Profile Length 6m (classic gold and chrome effect 3.95m, oak effect 5m)
- Suitable for use with Wave Standard and Wave XL curtain heading systems



6130M

## Profile and Bending Information



  
 Standard radius 300mm  
 Wave XL: Min. radius 500mm


**Note:** It is important to observe the minimum bending radius for Wave XL. The system will not function with a smaller radius.

Specification Guide - download from [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required).


Silent Gliss 6130 curtain track, hand drawn, aluminium, assembled complete with gliders 6143 at 10/m and 2 endcovers 0707. Face fix with bracket 3134P/top fix with bracket 6138P each screwed to timber/plugged and screwed to block-work/concrete at 600mm centres. Finished in black, white, sand, classic gold, gunmetal, steel grey, chrome effect, anodised silver, antique bronze, bronze, cream, taupe and oak effect.

## How To Measure

### Stack Size Calculation Wave Standard



Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	1.9	10	23 per metre of track + endpiece	8
6	12	2.2	12	23 per metre of track + endpiece	9
8	14	2.0	14	18 per metre of track + endpiece	10
8	16	2.2	16	18 per metre of track + endpiece	11



a = Stack depth  
 b = Stack size  
 c = Min. distance


### Wave standard with roller gliders

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.0	14	21 per metre of track + endpiece	10
8	16	2.2	16	21 per metre of track + endpiece	11




(dimensions in cm)

**Note:** Minimum distance (c) includes a standard 4.5cm clearance (front and back).

## Stack Size Calculation Wave XL




a = Stack depth 35cm  
 b = Stack size  
 c = Min. distance 22cm

System width		77-107	108-143	144-179	180-215	216-251	252-287	288-323	324-359	360-395
	b	21	26	31	36	41	46	51	56	61
System width		396-431	432-468	469-503	504-539	540-575	576-600			
	b	66	71	76	81	86	91			
System width		154-217	218-289	290-361	362-433	434-505	506-577	578-600		
	b	21	26	31	36	41	46	51		

(dimensions in cm)





## Design Options

### Finials



Finials are decorative elements that fit on at the end of the pole.

Please refer to the specific Metropole brochure for more detailed and colour descriptions.




- A: Matching endcap
- B: 0873 Design Endcap 20mm
- C: 0556 Ball End 70mm
- D: 0719 Spear 135mm
- E: 0986 Groove Ball 85mm
- F: 0629 Groove Cylinder 85mm
- G: 0901 Strata 65mm
- H: 0882 Vega Cylinder 80mm
- I: 0881 Vega Cube 60mm
- K: 0886 Crystal Cube 55mm
- K: 0896 Crystal Cylinder 55mm
- L: 0995CL Shard Clear 127mm
- M: 0995ET Shard Etched 127mm




6130M

### Midials




Midials are a curtain pole decoration projecting in front of the pole.

Please refer to the specific Metropole brochure for more detailed and colour descriptions.



- A: 0M800 Vega Square (80mm)
- B: 0M900 Vega Circle (80mm)
- C: 0M400 Discus Glass (100mm - red, white, amber, purple, lilac)

### Holdbacks




Midial designs can be used on matching holdback arms.

Please refer to the specific Metropole brochure for more detailed and colour descriptions.

- A: 0HB80 Vega Square 80mm
- B: 0HB90 Vega Circle 80mm
- C: 0HB40 Discus Glass (red, white, amber, purple, lilac) 100mm

### Wave Standard curtain heading system



Wave Standard is an exciting contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m or 10kg/m with wave roller glider 6098W.


The Wave standard components are:

- 6345 Glider Cord 60mm
- 6346 Glider Cord 80mm
- 3582 Hook
- 6349 Curtain tape
- 6363 Iron-on top hemming tape
- 6007 End stop

Additional optional Wave components:

- 2255 Adjustable brake
- 6364 Extension (for use with 6365)
- 6365 Hanger (for use with 6364)
- 6366 Carrier for draw rod
- 10075 Lead weight for bottom hem 50gr/m
- 10076 Fabric weight for side of curtain
- 6098W Wave roller glider 80mm


### Wave XL curtain heading system



Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.

6130M





The Wave XL components are:

- 2216 Cord 0.85 mm
- 2255 Adjustable brake
- 6007 End stop
- 6349 Curtain tape
- 6363 Iron tape
- 6391 Hanger
- 6392 Heading film
- 6393 Glider
- 6395 Extension
- 6399 Carrier for draw rod

Additional optional Wave components:

- 6398 Clip

## Fitting Information


### Bracket positioning when using standard brackets 3134-3136



The fixing points are identical for both available brackets.

For the standard bracket 3134/2-36/2 or the ultra brackets 6133 and 6134.

### Fitting of track to brackets




- A: Using brackets 3134/2 - 3136/2
- B: Using pillar bracket 0674
- C: Using midial bracket 0797A




6130M

## Fitting Options


### Wall fix with brackets 3134/2-36/2



	X (mm)
3134/2	52
3135/2	72
3136/2	92




3134/2-3136/2  
Extension brackets




6141  
Track insert (uses  
screw 0798)

## Ceiling fix with support 6138P



X (mm)  
80-100




6138p  
Ceiling support set  
(3mm)

Please note: for ceiling fixing with midials, use bracket 3134/b


The final distances may be outside of the recommendations above depending on curtain make-up and any obstructions.

Min. distance from wall when using Wave XL: 220mm.


## Wall fix with adjustable bracket 0537



X (mm)  
0537 80-100




0537  
Adjustable bracket




6141  
Track insert (uses  
screw 0798)


## Wall fix with Pillar bracket 0674



X (mm)  
0674 80



0674  
Pillar bracket



6141  
Track insert (uses  
screw 0798)

## Standard Accessories

### Parts

0707 End cover (6130)



3133 Bracket cover (60mm)



6065 Twist eye endstop



6103 Profile



6141 Track insert (uses screw 0798)



6143 Glider 6144 in strip form



6784 Machine screw (for 6141 insert)

3134/2 Pole extension bracket (60mm - all colours)







## Optional Accessories

### Parts

0537	Adjustable bracket		0556	Ball end finial	
0629	Groove Cylinder (30mm)		0674	Pillar bracket	
0719	Spear finial		0770	Finial connecting bracket	
0873	Design Endcap 30mm		0881	Vega cube	
0882	Vega cylinder		0886	Crystal cube (30mm pole)	
0896	Crystal cylinder (30mm)		0901	Strata (hand operated)	
0986	Groove Ball (30mm)		6283	Roller glider	
6635	Internal connecting bridge assembly		0797A	Midial bracket	
0HB40	Glass discus holdback		0HB80	Vega square holdback	
0HB90	Vega circle holdback		0M400	Glass discus midial	
0M800	Vega square midial		0M900	Vega circle midial	
3134/b	Midial ceiling fix bracket		3135/2	Pole extension bracket (80mm - all colours)	
3136/2	Pole extension bracket (100mm - all colours)		6138p	Ceiling support set (3mm)	
0995CL	Shard Clear (30mm)		0995ET	Shard Etched (30mm)	

6130M

## Wave Accessories

2216	Cord		2255	Adjustable brake	
3582	Hook		6007	Endstop	


6345	Wave glider cord (60mm)	
6349	Curtain tape	
6364	Extension	
6366	Carrier for draw rod	
6392	Heading film	
6395	Extension	
6399	Carrier for Draw rod	
10076	Fabric weight	

6346	Wave glider cord (80mm)	
6363	Top hemming tape	
6365	Hanger	
6391	Hanger	
6393	Glider	
6398	Clip	
10075	Lead weight 50 gr/m	
6098W	Wave roller glider cord (80mm)	



## Hand Operated Curtain Pole System

# Silent Gliss® 6140M Metropole 50mm




### Product Information

- Hand operated system for domestic and contract applications
- Can be bent for bay windows
- Choice of 7 different finishes - black, white, steel grey, antique bronze, taupe, silver and oak effect
- Accessorised with matching end caps and co-ordinated or matching brackets/bracket covers
- A selection of finials are available
- Easy fitting to wall with adjustable brackets
- For medium to heavy curtains
- Suitable for use with Wave Standard and Wave XL curtain heading system
- Profile length 6m (oak effect 5m)



6140M

## Profile and Bending Information



 Standard radius 500mm  
(Inc. Wave XL)


**Note:** It is important to observe the minimum bending radius for Wave XL. The system will not function with a smaller radius.

**Specification Guide - download [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required)**

Silent Gliss 6140M curtain track, hand drawn, aluminium, assembled complete with gliders 6143 at 10/m and 2 endcovers 0714. Face fix with bracket 0537 each screwed to timber /plugged and screwed to block-work/concrete at 600mm centres. Finished in black, white, steel grey, antique bronze, silver, taupe and oak effect.

## How To Measure

### Stack Size Calculation Wave Standard



a = Stack depth  
b = Stack size  
c = Min. distance

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	1.9	10	23 per metre of track + endpiece	8
6	12	2.2	12	23 per metre of track + endpiece	9
8	14	2.0	14	18 per metre of track + endpiece	10
8	16	2.2	16	18 per metre of track + endpiece	11


### Wave standard with roller gliders

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.0	14	21 per metre of track + endpiece	10
8	16	2.2	16	21 per metre of track + endpiece	11

(dimensions in cm)

**Note:** Minimum distance (c) includes a standard 4.5cm clearance (front and back).

## Stack Size Calculation Wave XL




a = Stack depth 35cm  
 b = Stack size  
 c = Min. distance 22cm

System width		77-107	108-143	144-179	180-215	216-251	252-287	288-323	324-359	360-395
	b	21	26	31	36	41	46	51	56	61
System width		396-431	432-468	469-503	504-539	540-575	576-600			
	b	66	71	76	81	86	91			
System width		154-217	218-289	290-361	362-433	434-505	506-577	578-600		
	b	21	26	31	36	41	46	51		

(dimensions in cm)

## Design Options


### Finials



Finials are decorative elements that fit on at the end of the pole.


- A: 0714 Matching endcaps
- B: 0717 Ball End 125mm
- C: 0718 Real Wood Spear 150mm
- D: 0697 Strata 65mm
- E: 0630 Groove Cylinder 125mm
- F: 0898 Crystal Cube 55mm
- G: 0899 Crystal Cylinder 55mm

### Midials



Midials are a curtain pole decoration projecting in front of the pole.

Please refer to the specific Metropole brochure for more detail and colour descriptions.




- A: 0M400 Discuss Glass (100mm - red, white purple, lilac)
- B: 0M800 Vega Square 80mm
- C: 0M900 Vega Circle 80mm



6140M

## Holdbacks




Midial designs can be used on matching holdback arms.

Please refer to the specific Metropole brochure for more detailed information and colour descriptions.

- A: 0HB40 Discus Glass (Red, white, amber, purple, lilac) 100mm
- B: 0HB80 Vega Square 80mm
- C: 0HB90 Vega Circle 80mm

## Wave Standard curtain heading system



Wave is an exciting contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m or 10kg/m with wave roller gliders 6098W.


The Wave standard components are:

- 2255 Adjustable brake
- 6345 Glider Cord 60mm
- 6346 Glider Cord 80mm
- 3582 Hook
- 6349 Curtain tape
- 6363 Iron-on top hemming tape
- 6007 End stop


Additional optional Wave components:

- 6364 Extension (for use with 6365)
- 6365 Hanger (for use with 6364)
- 6366 Carrier for draw rod
- 10075 Lead weight for bottom hem 50gr/m
- 10076 Fabric weight for side of curtain
- 6098W Wave roller glider 80mm

## Wave XL curtain heading system




Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.



6140M





The Wave XL components are:


- 2216 Cord 0.85 mm
- 2255 Adjustable brake
- 6007 End stop
- 6349 Curtain tape
- 6363 Iron tape
- 6391 Hanger
- 6392 Heading film
- 6393 Glider
- 6395 Extension
- 6399 Carrier for draw rod

Additional optional Wave components:


- 6398 Clip

## Fitting Information

### Bracket positioning when using adjustable brackets 0537



### Fitting of track to bracket




Using adjustable bracket 0537.




6140M

## Fitting Options


### Wall fix with adjustable brackets 0537



	X (mm)
0537	80-100




0537  
Adjustable bracket




6141  
Track insert (uses  
screw 0798)


## Wall fix with brackets 3134/2-3136/2



	X (mm)
3134/2	52
3135/2	72
3136/2	92




3134/b  
Midial ceiling fix  
bracket




6141  
Track insert (uses  
screw 0798)

## Ceiling fix with 6138P2



X (mm)
80-100




6138P2 (9mm)  
Ceiling support set

Min. distance from wall when using Wave XL: 220mm.

## Standard Accessories

### Parts

0537 Adjustable bracket



0700 Profile 50mm



0714 End cap 50mm



3133 Bracket cover (60mm)



6065 Twist eye endstop



6141 Track insert (uses screw 0798)



6143 Glider 6144 in strip form




6784 Machine screw (for 6141 insert)

6140M

## Optional Accessories

### Parts

6138P2 (9mm) Ceiling support set




0630 Groove Cylinder (50mm)



0697 Strata (50mm)



0713 Midial connecting bracket



0717 Ball end finial (50mm pole)



0718 Spear finial (50mm pole)



0898	Crystal Square (50mm)		0899	Crystal Cylinder (50mm)	
M3	Veneer disc midial		3582	Hook	
6283	Roller glider		0HB10	Bamboo holdback	
0HB40	Glass discus holdback		0HB80	Vega square holdback	
0HB90	Vega circle holdback		0M400	Glass discus midial	
0M800	Vega square midial		0M900	Vega circle midial	
3134/2	Pole extension bracket (60mm - all colours)		3134/b	Midial ceiling fix bracket	
3135/2	Pole extension bracket (80mm - all colours)		3136/2	Pole extension bracket (100mm - all colours)	



6140M

## Wave Accessories


2216	Cord		2255	Adjustable brake	
3582	Hook		6007	Endstop	
6345	Wave glider cord (60mm)		6346	Wave glider cord (80mm)	
6349	Curtain tape		6363	Top hemming tape	
6364	Extension		6365	Hanger	
6366	Carrier for draw rod		6391	Hanger	
6392	Heading film		6393	Glider	
6395	Extension		6398	Clip	
6399	Carrier for Draw rod		10075	Lead weight 50 gr/m	
10076	Fabric weight		6098W	Wave roller glider cord (80mm)	



6140M

## Cord Operated Curtain Pole System

# Silent Gliss® 6120M Metropole 30mm




### Product Information

- Cord operated system for domestic and contract applications
- 6120 can be bent to a small radius for bay windows etc
- For light to medium weight curtains
- Made to measure
- Profile length 6m (chrome effect and classic gold in 4m, oak effect 5m)
- Choice of 13 different finishes - cream, bronze, antique bronze, chrome effect, gunmetal, anodised silver, black, white, steel grey, sand, taupe, classic gold and oak effect
- Wide range of finials, midials and holdbacks in contemporary or traditional styles
- Easily fitted to wall or ceiling fix
- Suitable for use with Wave Standard and Wave XL curtain heading systems



6120M

## Profile, Bending and Specification Information



6106




Standard radius 300mm  
Wave XL: Min. radius 500mm

**Note:** It is important to observe the minimum bending radius for Wave XL. The system will not function with a smaller radius.

**Specification Information - for download refer to [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required).**



Silent Gliss 6120 curtain track, cord drawn, aluminium, assembled complete with gliders 6143 at 10/m. Metal overlap arm 6003, pulley set 6119, cord 3091, pilot 6534 and endstops 6065. Face fix with bracket 3134/top fix with bracket 6138P each screwed to timber/plugged and screwed to block/concrete at 600mm centres. Finished in black, white, cream, taupe, steel grey, sand, bronze, antique bronze, classic gold, gunmetal, chrome effect, anodised silver and oak effect.

## How To Measure



## Stack Size Calculation Wave Standard

6120M



a = Stack depth  
b = Stack size  
c = Min. distance

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	1.9	10	23 per metre of track + endpiece	8
6	12	2.2	12	23 per metre of track + endpiece	9
8	14	2.0	14	18 per metre of track + endpiece	10
8	16	2.2	16	18 per metre of track + endpiece	11


### Wave standard with roller gliders

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.0	14	21 per metre of track + endpiece	10
8	16	2.2	16	21 per metre of track + endpiece	11

(dimensions in cm)

**Note:** Minimum distance (c) allows a standard 4.5cm clearance (front and back).

## Stack size calculation Wave XL



a = Stack depth 35cm  
 b = Stack size  
 c = Min. distance 22cm

System width		77-107	108-143	144-179	180-215	216-251	252-287	288-323	324-359	360-395
	b	28	33	38	43	48	53	58	63	68
System width		396-431	432-468	469-503	504-539	540-575	576-600			
	b	73	78	83	88	93	98			
System width		154-217	218-289	290-361	362-433	434-505	506-577	578-600		
	b	28	33	38	43	48	53	58		

(dimensions in cm)

## System Dimensions

### Maximum curtain weights

Standard Application with Glider

	1 m	2 m	3 m	4 m	5 m	6 m
	9	9	8	8	7	7
	10	10	9	9	8	8
	7	7	6	6	5	5
	8	8	7	7	6	6
	4	4	3	3	2	2
	5	5	4	4	3	3
	3	3	2	2	1	1
	4	4	3	3	2	2

(kg max.)

Standard Application with Roller/ Wave Roller

	1 m	2 m	3 m	4 m	5 m	6 m
	12	11	11	11	10	10
	13	13	12	11	11	10
	9	8	8	8	7	7
	10	9	9	9	8	8
	6	5	5	5	4	4
	7	6	6	6	5	5
	5	4	4	4	3	3
	6	5	5	5	4	4


(kg max.)

### Wave and Wave XL maximum curtain weights

Maximum curtain weight when using Wave/ Wave XL curtain heading is 2.5kg/m unless the weight in above table is less in which case follow table. A greater weight may be achieved using wave roller glider 6098W (refer to table above right).


## Design Options

### Finials




Finials are decorative elements that fit on at the end of the pole. Metropole corded is available with the finial options of ball end, urn, spear or any of the Woodend finials.

Please refer to the specific Metropole brochure for more detail and colour options.



- A: Without finials, endsets matching the colour of the pole will be applied 36mm
- B: 0719 Real Wood Spear (available in a wide range of finishes) 135mm
- C: 0556 Ball End (available in a wide range of finishes) 70mm
- D: 0891 Strata 73mm (available in all pole finishes)
- E: 0582 Groove Ball (pair) 95mm (available in a wide range of finishes)

## Midials




Midials are a curtain pole decoration projecting in front of the pole.

Please refer to the specific Metropole brochure for more detail and colour descriptions.

- A: 0M400 Discus Glass (100mm - red, white, amber, purple, lilac)
- B: 0M800 Vega Square 80mm
- C: 0M900 Vega Circle 80mm

## Holdbacks




Midial designs can be used on matching holdback arms.

Please refer to the specific Metropole brochure for more detailed and colour descriptions.

- A: 0HB40 Discus Glass (red, white, amber, purple, lilac) 100mm
- B: 0HB80 Vega Square 80mm
- C: 0HB90 Vega Circle 80mm


## Wave Standard curtain heading system



Wave Standard is an exciting new contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m. A greater weight may be achieved using wave roller glider 6098W (refer to System Dimensions).






The Wave Standard components are:

- 6345 Glider cord 60mm
- 6346 Glider cord 80mm
- 3582 Hook
- 6349 Curtain tape
- 6363 Iron on top hemming tape
- 6007 End stop
- 6315 Pilot runner


Additional optional Wave components:

- 6364 Extension (for use with 6365)
- 6365 Hanger (for use with 6364)
- 10075 Lead weight for bottom hem 50gr/m
- 10076 Fabric weight for side of curtain
- 6098W Wave roller glider 80mm

### Wave XL curtain heading system



Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.



The Wave XL components are:

- 2216 Cord 0.85mm
- 6007 End stop
- 6349 Curtain tape
- 6363 Iron-on tape
- 6383 Limit stop
- 6391 Hanger
- 6392 Heading film
- 6393 Glider
- 6394 Carrier
- 6395 Extension

Additional optional Wave XL components:


- 6398 Clip



6120M

### Fitting Information


#### Bracket positioning



The fixing points for both bracket styles are identical.

For the standard bracket 3134/2-3136/2 or the ultra brackets 6133 and 6134


## Fitting of track to brackets




- A: Using brackets 3134/2 - 3136/2
- B: Using pillar bracket 0674
- C: Using midial bracket 0797A

## Fitting Options


### Wall fix with brackets 3134/2-3136/2



	X (mm)
3134/2	52
3135/2	72
3136/2	92




3134/2-3136/2  
Extension brackets




6141  
Track insert (uses  
screw 0798)


### Wall fix with adjustable bracket 0537



	X (mm)
0537	80-100



0537  
Adjustable bracket




6141  
Track insert (uses  
screw 0798)




6120M


### Wall fix with Pillar bracket 0674



	X (mm)
0674	80





0674  
Pillar bracket



6141  
Track insert (uses  
screw 0798)

## Ceiling fix with support 6138P2





6138P2 (9mm)  
Ceiling support set

Please note: for ceiling fixing with midials, use bracket 3134/b

The final distances may be outside of the recommendations above depending on curtain make-up and any obstructions.

For Wave XL fix the track at least 22cm from the wall.

## Ceiling fix with support 6138P6



6138P6  
Ceiling support set  
(6mm)

Please note: for ceiling fixing with midials, use bracket 3134/b

The final distances may be outside of the recommendations above depending on curtain make-up and any obstructions.

For Wave XL fix the track at least 22cm from the wall.

## Standard Accessories



6120M

3091	Cord		3133	Bracket cover (60mm)	
6063	Metal overlap arm		6065	Twist eye endstop	
6106	Profile		6141	Track insert (uses screw 0798)	
6143	Glider 6144 in strip form		6784	Machine screw (for 6141 insert)	
10400	Safety Cord Retainer		3134/2	Pole extension bracket (60mm - all colours)	

## Sets

6119	Guide returns, containing; Depending on finials used this set may vary (6119F, 6119F/2)	0709	Endset cover for wood	2	
------	---	------	-----------------------	---	--

3827	Bearing	2	
6113	Case	2	
6114	Cover (ø 40mm)	2	
6354	Pilot runner	2	






## Optional Accessories

### Single Parts




















6138P2 (9mm)	Ceiling support set		0537	Adjustable bracket	
0556	Ball end finial		0582	Groove Ball 6120 (pair)	
0674	Pillar bracket		0719	Spears finial	
0770	Finial connecting bracket		0891	Strata (cord operated)	
0987	Groove Ball 6120 unslotted		0988	Groove Ball 6120 slotted	
3340	Cord/Chain weight (not for use with 4845 metal bead chain)		6283	Roller glider	
0HB10	Bamboo holdback		0HB40	Glass discus holdback	
0HB80	Vega square holdback		0HB90	Vega circle holdback	
0M400	Glass discus midial		0M800	Vega square midial	
0M900	Vega circle midial		3134/b	Midial ceiling fix bracket	
3135/2	Pole extension bracket (80mm - all colours)		3136/2	Pole extension bracket (100mm - all colours)	
6138p6	Ceiling support set (6mm)				

6120M

## Sets

6165	Intermediate pulley, containing	0708	Intermediate pulley cover	1	
		3810	Pulley	2	
		6103	Profile	1	
		6164	Clamping piece	1	
		6169	Holder	1	


## Wave Accessories

2216	Cord		3582	Hook	
6007	Endstop		6315	Pilot runner	
6345	Wave glider cord (60mm)		6346	Wave glider cord (80mm)	
6349	Wave curtain heading tape		6363	Top hemming tape	
6364	Extension		6365	Hanger	
6383	Limit stop		6391	Hanger	
6392	Heading film		6393	Glider	
6394	Carrier		6395	Extension	
6398	Clip		10075	Lead weight 50 gr/m	
10076	Fabric weight		6098W	Wave roller glider cord (80mm)	

6120M

## Useful measurements


6063 Metal overlap arm



6120M

## Cord Operated Curtain Pole System

# Silent Gliss® 6160M Metropole




### Product Information

- Cord operated system for domestic and contract applications
- 6160M can be bent for bay windows etc
- For medium to heavy weight curtains
- Made to measure
- Choice of 7 different finishes - anodised silver, black, white, steel grey, taupe, antique bronze and oak effect
- Accessorised with matching endsets and coordinated or matching brackets/bracket covers
- A selection of finials are available
- Easy fitting to wall with adjustable brackets
- Suitable for use with Wave Standard and Wave XL curtain heading systems
- Maximum profile length 6m (oak effect 5m)



6160M

## Profile, Bending and Specification Information




 Standard radius 600mm  
(Incl. Wave XL)

**Note:** It is important to observe the minimum bending radius for Wave XL. The system will not function with a smaller radius.

**Specification Information - for download refer to [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required).**



Silent Gliss 6160M curtain track, cord drawn, aluminium, assembled with gliders 6143 10/m. Metal overlap arm 6003, pulley set 0644, cord 3091, pilot 6534 and endstops 6065. Face fix with bracket 0537/top fix with bracket 6138P2 each screwed to timber/plugged and screwed to block/concrete at 600mm centres. Finished in black, silver, steel grey, antique bronze, taupe, white and oak effect.

## How to Measure



## Stack size calculation Wave Standard

6160M



a = Stack depth  
b = Stack size  
c = Min. distance

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	1.9	10	23 per metre of track + endpiece	8
6	12	2.2	12	23 per metre of track + endpiece	9
8	14	2.0	14	18 per metre of track + endpiece	10
8	16	2.2	16	18 per metre of track + endpiece	11

### Wave standard with roller gliders

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.0	14	21 per metre of track + endpiece	10
8	16	2.2	16	21 per metre of track + endpiece	11



(dimensions in cm)

**Note:** Minimum distance (c) allows a standard 4.5cm clearance (front and back).





## Midials




Midials are a curtain pole decoration projecting in front of the pole.

Please refer to the specific Metropole brochure for more detail and colour descriptions.

A: 0M400 Discuss Glass (100mm - red, white purple, lilac)  
 B: 0M800 Vega Square 80mm  
 C: 0M900 Vega Circle 80mm

## Holdbacks




Midial designs can be used on matching holdback arms.

Please refer to the specific Metropole brochure for more detailed information and colour descriptions.

A: 0HB40 Discus Glass (red, white, amber, purple, lilac) 100mm  
 B: 0HB80 Vega Square 80mm  
 C: 0HB90 Vega Circle 80mm

## Wave Standard curtain heading system




6160M

Wave Standard is an exciting new contemporary heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m. A greater weight may be achieved using wave roller glider 6098W (refer to 'System Dimensions').

The Wave Standard components are:


6345 Glider cord 60mm  
 6346 Glider cord 80mm  
 3582 hook  
 6349 Curtain tape  
 6363 Iron on top hemming tape  
 6007 End stop  
 6315 Pilot runner




Additional optional Wave components:

6364 Extension (for use with 6365)  
 6365 Hanger (for use with 6364)  
 10075 Lead weight for bottom hem 50gr/m  
 10076 Fabric weight for side of curtain  
 6098W wave roller glider 80mm

## Wave XL curtain heading system



Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.



The Wave XL components are:


- 2216 Cord 0.85mm
- 6007 End stop
- 6349 Curtain tape
- 6363 Iron-on tape
- 6383 Limit stop
- 6391 Hanger
- 6392 Heading film
- 6393 Glider
- 6394 Carrier
- 6395 Extension

Additional optional Wave XL components:

- 6398 Clip


## Fitting Information

### Bracket positioning



6160M


### Fitting of track to bracket




Using adjustable bracket 0537.

## Fitting Options


### Wall fix with adjustable brackets 0537



	X (mm)
0537	80-100




0537  
Adjustable bracket




6141  
Track insert (uses  
screw 0798)


### Wall fix with brackets 3134/2-3136/2



	X (mm)
3134/2	52
3135/2	72
3136/2	92




3134/2  
Pole extension  
bracket (60mm - all  
colours)




6141  
Track insert (uses  
screw 0798)

### Ceiling fix with 6138P2



	X (mm)
	80-100



6138P2 (9mm)  
Ceiling support set



6160M

Min. distance from wall when using Wave XL: 220mm

## Standard Accessories

### Parts


0537	Adjustable bracket		0701	Profile 50mm (corded)	
3091	Cord		3133	Bracket cover (60mm)	
6065	Twist eye endstop		6143	Glider 6144 in strip form	
6784	Machine screw (for 6141 insert)		10400	Safety Cord Retainer	





## Useful Measurements

6063 Metal overlap arm



6160M




6160M



## Motorised Curtain Pole System

# Silent Gliss® 6150M Metropole 50mm



### Product Information


- Electrically operated system for domestic and contract applications
- Choice of 6 different finishes - black, white, steel grey, antique bronze, taupe and silver
- Accessorised with matching end caps or finials
- Easy fitting to wall and ceiling fix
- Maximum curtain weight dependant on motorised system selection
- Suitable for use with Wave Standard curtain heading system
- Max pole length 5m/10m dependant on motorised system selection
- Available with 3 motor options with various operating methods




6150M

## Profile Information

### Individual Profile Measurements



0871



2191




Profiles cannot be bent.

Specification Guide - download from [www.silentgliss.co.uk](http://www.silentgliss.co.uk) (password required)

Silent Gliss 6150M curtain track, electrically operated, aluminium, assembled complete with gliders 6098/6143 and 2 endcovers 0714. Face fix with bracket 0731 each screwed to timber/plugged and screwed to block-work/concrete at 1000mm centres. Finished in white, black, steel grey, antique bronze, taupe and silver. Refer to table for motor colour see Motor Options in this catalogue.


## How To Measure



Combined profile measurements 0871 and 2191




6150M



A: System width excluding finials (for finial width see Design Options in this catalogue)

# Stack Size Calculation Wave Standard



a = Stack depth  
 b = Stack size  
 c = Min. distance

## Wave standard

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	1.9	10	23 per metre of track + endpiece	8
6	12	2.2	12	23 per metre of track + endpiece	9
8	14	2.0	14	18 per metre of track + endpiece	10
8	16	2.2	16	18 per metre of track + endpiece	11

## Wave standard with roller gliders

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.0	14	21 per metre of track + endpiece	10
8	16	2.2	16	21 per metre of track + endpiece	11

(dimensions in cm)

Note: Minimum distance (c) includes a standard 3cm clearance (front and back).

All weight calculations are based on underslung curtains. Headings above the glider channel are not recommended.

## System Dimensions

### Maximum Curtain Weight Chart

#### Standard Application with Gliders

5090	5 m
	15
	15
(kg max.)	

#### Standard Application with Rollers/Optional Wave Roller Gliders

5200	2 m	4 m	6 m	8 m	10 m
	36	32	26	21	16
	36	32	26	21	16
5400					
	44	42	40	38	36
	44	42	40	38	36
(kg max.)					




6150M

Note: Maximum recommended curtain weight for Wave curtain heading system is 2.5kg per metre unless using optional wave roller gliders

## Design Options

### Finials




Finials are decorative elements that fit on the end of the pole.

- A: 0714 Matching Endcaps 21mm
- B: 0717 Ball End 132mm
- C: 0718 Spear 152mm
- D: 0697 Strata 64mm
- E: 0630 Groove Cylinder 125mm
- F: 0898 Crystal Cube 55mm
- G: 0899 Crystal Cylinder 55mm


Note: Above measurements are per finial.

### Midials



Midials are a curtain pole decoration projecting in front of the pole.

Please refer to the Metropole brochure for more detail and colour descriptions.




- A: 0M400 Discus Glass (100mm - red, white purple, lilac)
- B: 0M800 Vega Square 80mm
- C: 0M900 Vega Circle 80mm



6150M

### Holdbacks




Midial designs can be used on matching holdback arms.

Please refer to the specific Metropole brochure for more detailed information and colour descriptions.


- A: 0HB40 Discus Glass (Red, white, amber, purple, lilac) 100mm
- B: 0HB80 Vega Square 80mm
- C: 0HB90 Vega Circle 80mm

### Wave Standard curtain heading system



Wave is an exciting contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m. A greater weight may be achieved using wave roller glider 6098W (refer to System Dimensions).



The Wave standard components are:



- 3582 Hook
- 6007 End stop
- 6345 Glider cord 60 mm
- 6346 Glider cord 80 mm
- 6349 Curtain tape
- 6363 Iron tape

Additional optional Wave components are:

- 6364 Extension (for use with 6365)
- 6365 Hanger (for use with 6364)
- 6367 Master carrier
- 6368 Carrier
- 6398 Clip
- 10075 Lead weight for bottom hem
- 10076 Fabric weight for side of curtain
- 6098W roller glider cord 80mm

All of the above components (standard and additional) are supplied with options 5200 and 5400 at no additional charge with the exception of the 6098W roller glider cord 80mm

### Wave XL curtain heading system




Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.

The Wave XL components are:

- 2216 Cord 0.85 mm
- 2255 Adjustable brake
- 6007 End stop
- 6349 Curtain tape
- 6363 Iron tape
- 6391 Hanger
- 6392 Heading film
- 6393 Glider
- 6395 Extension
- 6399 Carrier for draw rod



Additional optional Wave components:

- 6398 Clip




## Fitting Options

### Wall fix with adjustable brackets 0537




0537  
Adjustable bracket




6141  
Track insert (uses  
screw 0798)


### Ceiling fix with bracket 6138p2



X (mm)  
80-100




6138P2 (9mm)  
Ceiling support set




6141  
Track insert (uses  
screw 0798)

Ceiling fix with 6138p2 (standard end cap only)

### Ceiling fix with finials using ceiling support 6175




6150M




6175  
Ceiling support


### Wall fix with 3134/2 - 3136/2



	mm
3134/2	52
3135/2	72
3136/2	92



3134/b  
Midial ceiling fix  
bracket




6141  
Track insert (uses  
screw 0798)

## Standard Accessories


### Parts


0537 Adjustable bracket





0714 End cap 50mm



0871 Profile 


3825 Clamp (35mm) 


2191 Profile 


6086 Spring stop 


## Optional Accessories


### Parts

6138P2 Ceiling support set (9mm) 


0697 Strata (50mm) 


0717 Ball end finial (50mm pole) 


0898 Crystal Square (50mm) 

3582 Hook 


6098 Roller glider with eye 

6175 Ceiling support 


0M400 Glass discus midial 


0M900 Vega circle midial 


3134/b Midial ceiling fix bracket 

0630 Groove Cylinder (50mm) 


0713 Midial connecting bracket 


0718 Spear finial (50mm pole) 


0899 Crystal Cylinder (50mm) 


6007 Endstop 

6143 Glider 6144 in strip form 

6283 Roller glider 


0M800 Vega square midial 


3134/2 Pole extension bracket (60mm - all colours) 


3135/2 Pole extension bracket (80mm - all colours) 


  
6150M


## Wave Accessories


3582 Hook 


6345 Wave glider cord (60mm) 


6349 Wave curtain heading tape 




6364 Extension 




6007 Endstop 

6346 Wave glider cord (80mm) 

6363 Top hemming tape 

6365 Hanger 

6367	Master carrier	
6398	Clip	
10076	Fabric weight	

6368	Carrier	
10075	Lead weight 50 gr/m	
6098W	Wave roller glider cord (80mm)	


## Motor Options

### Motor Colour Chart

Electric Track System	6150M Profile Colour	Motor Colour
5090	All colours	White
5200, 5400	Silver	White
	Taube	
	White	
	Black	Black
	Steel Grey	
Antique Bronze		


#### Option 1: 5090

6150M



- Motorised curtain track system for domestic use only
- Maximum system width is 5m
- System comprises 24V motor set including power unit and switch
- Choice of basic model with wall switch (5090), with Remote Control (5090IR), with Timer Light set (5090TL) or with all options (5090TC) - See system 5090 catalogue pages within the Electric Curtain Track Systems catalogue for full specifications
- System can be equipped with the unique manual override feature
- Automatic end-of-travel stop
- No pre-wiring necessary
- Curtain travel speed 15cm/sec
- Available with Wave Standard curtain heading systems
- Excellent security device when homes are unoccupied


#### Option 2: 5200



- Motorised curtain track system for contract and residential use
- Maximum system width 10m
- The system 5200 is equipped with a 24V DC motor 9040 or 9041
- System 5200 can be combined with Radio Remote Control System 9940/0450
- Various other operating methods available. See motors/controls overview chart
- System can be equipped with the unique manual override feature
- 0900 timer option available
- Curtain travel speed 15cm/sec
- Supplied assembled
- Available with Wave Standard curtain heading systems



### Option 3: 5400



- Motorised curtain track system for contract and residential use
- Maximum curtain width 10m
- The system 5400 is equipped with motor 9020/9021 (90-260VAC)
- Option of integrated radio receiver compatible with Silent Gliss radio remote control system 9940/0450
- Various other operating methods available. See motors/controls overview chart and the specific motor variations section
- System can be equipped with the unique manual override feature
- 0900 timer option available
- Exceptionally quiet motor (<45dba (30cm))
- Curtain travel speed 16cm/sec
- Supplied assembled
- Available with Wave Standard curtain heading system

For further information on the above electric track systems please refer to the Electric Curtain Track Systems catalogue ([www.silentgliss.co.uk](http://www.silentgliss.co.uk)).



6150M



6150M



6150M

[www.silentgliss.co.uk](http://www.silentgliss.co.uk)

Silent Gliss Ltd  
Pyramid Business Park  
Poorhole Lane  
Broadstairs  
Kent  
CT10 2PT  
Great Britain

Tel: 0044 (0) 1843 863571  
Fax: 0044 (0) 1843 864503  
[sales@silentgliss.co.uk](mailto:sales@silentgliss.co.uk)